



**"Reunir-se é o começo,
permanecer junto o progresso,
e trabalhar juntos, o sucesso."
Henry Ford**



***"Coming together is a beginning,
staying together is progress,
and working together is success."
Henry Ford***

INTRODUÇÃO

A empresa dedica-se à comercialização de equipamentos destinados ao tratamento ou armazenamento de águas limpas ou sujas, domésticas ou industriais.

Com grande experiência no ramo, conta com o apoio técnico de quadros especializados, elaborando sempre soluções adequadas à realidade dos clientes.

Colocando sempre a qualidade e a satisfação do cliente responde de imediato a qualquer solicitação de forma a garantir e oferecer um atendimento personalizado. Todos os esclarecimentos solicitados são dados e respondidos, no fim será sempre achada a melhor solução qualidade preço.

Os produtos comercializados tem presente a preservação do ambiente tendo sempre em conta a legislação vigente.

Estando atenta as novas tecnologias estendeu-se à comercialização de todos os produtos à Internet.

As vantagens para o cliente serão notórias ao nível do tempo gasto, e usufruir da comodidade de sua casa, poder comprar a preços competitivos e obter todos os esclarecimentos possíveis.

Respeitados no ramo tanto a nível de fornecedores como de clientes é uma empresa que merece toda a confiança perante os novos clientes.

The company is engaged in the commercialization of equipment for the processing or storage of clean or wastewater, domestic or industrial.

With extensive experience in the business, we provide the support of a specialized technical team, to develop appropriate solutions to customer reality.

Always putting quality and customer satisfaction first, responds immediately to any request to ensure and offer a personalized service. All clarifications are given and answered and in the end, the best solution in terms of quality and money will always be found .

The products marketed are present to protect the environment while taking into account the current legislation.

Being aware of the new technologies has extended the commercialization of certain products to the internet.

The customer benefits will be evident at the time spent on the transaction, enjoying the convenience of his home, having the opportunity to buy at competitive prices and getting all the information possible.

Respected in the industry by both suppliers and customers, is a company that deserves all the trust towards the new customers.



Separadores de hidrocarbonetos

O separador de hidrocarbonetos destina-se à separação e à retenção de lamas e dos líquidos leves (hidrocarbonetos) contidos nas águas fluviais e residuais.

A utilização de Separadores de Hidrocarbonetos é obrigatória no tratamento das águas provenientes de parques e áreas de estacionamento, estações de serviço, oficinas mecânicas, etc.

É sempre acompanhado de um decantador de sólidos, incorporado ou independente. Neste caso, procede o separador.

Os nossos produtos são fabricados de acordo com a norma DIN 1999, apresentando filtro coalescente e válvula obturadora automática. (classe I). Apresentam de acordo com testes de gravimetria e colorimetria, um rendimento de separação de hidrocarbonetos correspondente a 99,982%, permitindo obter um efluente final com concentração de hidrocarbonetos inferior a 5 ppm, dando deste modo total cumprimento às exigências de descarga estabelecidas na legislação vigente, nomeadamente no Decreto – lei 236/ de 1 de Agosto, EN 858-1: 2002 .

Capacidades de 1.5L a 300L/s com volumes de 1500L a 60.000L

Outras dimensões, são possíveis mediante estudo.

Hydrocarbons Separators

The hydrocarbon separator is intended for separation and retention of sludge and light liquids (oil) contained in river water and wastewater.

Use of Hydrocarbon Separators is mandatory in the treatment of wastewater from parks and parking areas, service stations, repair shops, etc.

It is always accompanied by a solids decanter, incorporated or independent. In this case, proceed the separator.

The Hydrocarbon Separators, with double decanting, are sealed vessels, for the separation of oil from oily wastewater.

The equipment is constructed in high density linear polyethylene, anti-UV additivated, which leads to a high mechanical resistance and insensitivity to corrosion, manufactured by rotational molding process, thereby guaranteeing total tightness.

Our products are manufactured in accordance with standard DIN 1999, they have coalescing filter and automatic valve obturator (classe I). According to the present gravimetric and colorimetric tests, a hydrocarbon separation efficiency of 99,982%, allowing to obtain a final effluent with a hydrocarbons concentration of less than 5 ppm, thus giving full effect to the discharge requirements set out in the current legislation, namely the Law -Decree 236/ of 1st August, EN 858-1: 2002 .

Capacity from 1.5L to 100L/s with volumes of 1000L to 40.000L

Other dimensions, are possible, by study



Separadores de hidrocarbonetos


Hydrocarbons Separators



Modelo	Volume	Caudal	Com bypass
ECOIH1500	1.500L	3	
ECOIH2500	2.500L	6	
ECOIH3200	3.200L	8	
ECOIH4000	4.000L	10	
ECOIH4800	4.800L	11	
ECOIH5600	5.600L	13	20
ECOIH6400	6.400L	15	25
ECOIH7200	7.200L	20	30
ECOIH8800	8.800L	25	35
ECOIH10000	10.000	30	40
ECOIH15000	15.000L	40	50
ECOIH20000	20.000L	50	100
ECOIH25000	25.000L	100	150
ECOIH30000	30.000L	150	250



CLIENTES



OBRAS





WISEU - Pova de Sobrinhos
PORTUGAL

Tel/Fax/Phone: + 351 232 422040
ecoalcance@gmail.com
comercio@ecoalcance.net

Bairro do Sargaçal - S/N
Pova de Sobrinhos
3505 482 WISEU
PORTUGAL



Localização GPS :

40°38'55,07" N
7° 52'33,79" W

